Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1	0	1
Diagnosis		% within Sex	2.9%	.0%	1.8%
	13-19	Count	1	5	6
		% within Sex	2.9%	22.7%	10.7%
	20-24	Count	5	2	7
		% within Sex	14.7%	9.1%	12.5%
	25-29	Count	4	2	6
		% within Sex	11.8%	9.1%	10.7%
	30-34	Count	2	1	3
		% within Sex	5.9%	4.5%	5.4%
	35-39	Count	6	4	10
		% within Sex	17.6%	18.2%	17.9%
	40-44	Count	8	4	12
		% within Sex	23.5%	18.2%	21.4%
	45-49	Count	1	3	4
		% within Sex	2.9%	13.6%	7.1%
	50-54	Count	3	1	4
		% within Sex	8.8%	4.5%	7.1%
	55-59	Count	2	0	2
		% within Sex	5.9%	.0%	3.6%
	65-69	Count	1	0	1
		% within Sex	2.9%	.0%	1.8%
Total		Count	34	22	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	13	6	19
		% within Sex	38.2%	27.3%	33.9%
	African American	Count	16	14	30
		% within Sex	47.1%	63.6%	53.6%
	Hispanic	Count	5	2	7
		% within Sex	14.7%	9.1%	12.5%
Total	_	Count	34	22	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# HIV Infection Cases Reported during 2003 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	7	0	7
Exposure		% within Sex	20.6%	.0%	12.5%
	IDU	Count	3	4	7
		% within Sex	8.8%	18.2%	12.5%
	M-M & IDU	Count	2	0	2
		% within Sex	5.9%	.0%	3.6%
	Heterosexual Contact	Count	5	7	12
		% within Sex	14.7%	31.8%	21.4%
	Not Classified	Count	16	11	27
		% within Sex	47.1%	50.0%	48.2%
	Ped Parent at Risk	Count	1	0	1
		% within Sex	2.9%	.0%	1.8%
Total		Count	34	22	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Adult-Ped		
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	0	19	19
		% within Adult-Ped	.0%	34.5%	33.9%
	African American	Count	0	30	30
		% within Adult-Ped	.0%	54.5%	53.6%
	Hispanic	Count	1	6	7
		% within Adult-Ped	100.0%	10.9%	12.5%
Total		Count	1	55	56
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Galveston

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	1	1
Diagnosis		% within Sex	.0%	5.0%	1.9%
	20-24	Count	5	5	10
		% within Sex	15.6%	25.0%	19.2%
	25-29	Count	8	3	11
		% within Sex	25.0%	15.0%	21.2%
	30-34	Count	4	5	9
		% within Sex	12.5%	25.0%	17.3%
	35-39	Count	6	1	7
		% within Sex	18.8%	5.0%	13.5%
	40-44	Count	4	4	8
		% within Sex	12.5%	20.0%	15.4%
	45-49	Count	2	0	2
		% within Sex	6.3%	.0%	3.8%
	50-54	Count	2	0	2
		% within Sex	6.3%	.0%	3.8%
	55-59	Count	1	1	2
		% within Sex	3.1%	5.0%	3.8%
Total		Count	32	20	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	16	9	25
		% within Sex	50.0%	45.0%	48.1%
	African American	Count	8	8	16
		% within Sex	25.0%	40.0%	30.8%
	Hispanic	Count	8	3	11
		% within Sex	25.0%	15.0%	21.2%
Total		Count	32	20	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# HIV Infection Cases Reported during 2002 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	11	0	11
Exposure		% within Sex	34.4%	.0%	21.2%
	IDU	Count	1	1	2
		% within Sex	3.1%	5.0%	3.8%
	Heterosexual Contact	Count	3	7	10
		% within Sex	9.4%	35.0%	19.2%
	Transfusion	Count	0	1	1
		% within Sex	.0%	5.0%	1.9%
	Not Classified	Count	17	11	28
		% within Sex	53.1%	55.0%	53.8%
Total		Count	32	20	52
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Adult-Ped Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	25	25
		% within Adult-Ped	48.1%	48.1%
	African American	Count	16	16
		% within Adult-Ped	30.8%	30.8%
	Hispanic	Count	11	11
		% within Adult-Ped	21.2%	21.2%
Total		Count	52	52
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Galveston

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	2	5
Diagnosis		% within Sex	2.7%	2.7%	2.7%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
	2-4	Count	1	0	1
		% within Sex	.9%	.0%	.5%
	13-19	Count	2	9	11
		% within Sex	1.8%	12.2%	5.9%
	20-24	Count	15	19	34
		% within Sex	13.5%	25.7%	18.4%
	25-29	Count	16	11	27
		% within Sex	14.4%	14.9%	14.6%
	30-34	Count	13	10	23
		% within Sex	11.7%	13.5%	12.4%
	35-39	Count	23	7	30
		% within Sex	20.7%	9.5%	16.2%
	40-44	Count	17	8	25
		% within Sex	15.3%	10.8%	13.5%
	45-49	Count	6	4	10
		% within Sex	5.4%	5.4%	5.4%
	50-54	Count	7	1	8
		% within Sex	6.3%	1.4%	4.3%
	55-59	Count	6	1	7
		% within Sex	5.4%	1.4%	3.8%
	65-69	Count	1	0	1
		% within Sex	.9%	.0%	.5%
	70+	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
	Unknown	Count	1	0	1
		% within Sex	.9%	.0%	.5%
Total		Count	111	74	185
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	49	28	77
		% within Sex	44.1%	37.8%	41.6%
	African American	Count	44	40	84
		% within Sex	39.6%	54.1%	45.4%
	Hispanic	Count	18	5	23
		% within Sex	16.2%	6.8%	12.4%
	Not Specified	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
Total		Count	111	74	185
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	32	0	32
Exposure		% within Sex	28.8%	.0%	17.3%
	IDU	Count	10	10	20
		% within Sex	9.0%	13.5%	10.8%
	M-M & IDU	Count	5	0	5
		% within Sex	4.5%	.0%	2.7%
	Heterosexual Contact	Count	12	22	34
		% within Sex	10.8%	29.7%	18.4%
	Transfusion	Count	1	1	2
		% within Sex	.9%	1.4%	1.1%
	Not Classified	Count	47	38	85
		% within Sex	42.3%	51.4%	45.9%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.9%	.0%	.5%
	Ped Parent at Risk	Count	3	3	6
		% within Sex	2.7%	4.1%	3.2%
Total		Count	111	74	185
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Cumulative Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	3	73	1	77
		% within Adult-Ped	42.9%	41.2%	100.0%	41.6%
	African American	Count	3	81	0	84
		% within Adult-Ped	42.9%	45.8%	.0%	45.4%
	Hispanic	Count	1	22	0	23
		% within Adult-Ped	14.3%	12.4%	.0%	12.4%
	Not Specified	Count	0	1	0	1
		% within Adult-Ped	.0%	.6%	.0%	.5%
Total		Count	7	177	1	185
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Galveston

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	2	4
Diagnosis		% within Sex	1.8%	2.7%	2.2%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
	2-4	Count	1	0	1
		% within Sex	.9%	.0%	.5%
	13-19	Count	2	9	11
		% within Sex	1.8%	12.2%	6.0%
	20-24	Count	15	19	34
	25-29	% within Sex	13.8%	25.7%	18.6%
	25-29	Count	16	11	27
		% within Sex	14.7%	14.9%	14.8%
	30-34	Count	13	10	23
		% within Sex	11.9%	13.5%	12.6%
	35-39	Count	23	7	30
		% within Sex	21.1%	9.5%	16.4%
	40-44	Count	17	8	25
		% within Sex	15.6%	10.8%	13.7%
	45-49	Count	5	4	9
		% within Sex	4.6%	5.4%	4.9%
	50-54	Count	7	1	8
		% within Sex	6.4%	1.4%	4.4%
	55-59	Count	6	1	7
		% within Sex	5.5%	1.4%	3.8%
	65-69	Count	1	0	1
		% within Sex	.9%	.0%	.5%
	70+	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
	Unknown	Count	1	0	1
		% within Sex	.9%	.0%	.5%
Total		Count	109	74	183
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	1 (12-23 mo)	Count	1	0	1
Age		% within Sex	.9%	.0%	.5%
	5-12	Count	1	1	2
		% within Sex	.9%	1.4%	1.1%
	13-19	Count	1	5	6
		% within Sex	.9%	6.8%	3.3%
	20-24	Count	7	11	18
		% within Sex	6.4%	14.9%	9.8%
	25-29	Count	15	14	29
		% within Sex	13.8%	18.9%	15.8%
	30-34	Count	11	13	24
		% within Sex	10.1%	17.6%	13.1%
	35-39	Count	23	8	31
		% within Sex	21.1%	10.8%	16.9%
	40-44	Count	20	12	32
		% within Sex	18.3%	16.2%	17.5%
	45-49	Count	10	6	16
		% within Sex	9.2%	8.1%	8.7%
	50-54	Count	10	2	12
		% within Sex	9.2%	2.7%	6.6%
	55-59	Count	6	1	7
		% within Sex	5.5%	1.4%	3.8%
	60-64	Count	1	0	1
		% within Sex	.9%	.0%	.5%
	65-69	Count	3	0	3
		% within Sex	2.8%	.0%	1.6%
	70+	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
Total		Count	109	74	183
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	47	28	75
		% within Sex	43.1%	37.8%	41.0%
	African American	Count	44	40	84
		% within Sex	40.4%	54.1%	45.9%
	Hispanic	Count	18	5	23
		% within Sex	16.5%	6.8%	12.6%
	Not Specified	Count	0	1	1
		% within Sex	.0%	1.4%	.5%
Total		Count	109	74	183
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Living Reported HIV Infection Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	31	0	31
Exposure		% within Sex	28.4%	.0%	16.9%
	IDU	Count	10	10	20
		% within Sex	9.2%	13.5%	10.9%
	M-M & IDU	Count	5	0	5
		% within Sex	4.6%	.0%	2.7%
	Heterosexual Contact	Count	12	22	34
		% within Sex	11.0%	29.7%	18.6%
	Transfusion	Count	1	1	2
		% within Sex	.9%	1.4%	1.1%
	Not Classified	Count	47	38	85
		% within Sex	43.1%	51.4%	46.4%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.9%	.0%	.5%
	Ped Parent at Risk	Count	2	3	5
		% within Sex	1.8%	4.1%	2.7%
Total		Count	109	74	183
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

				Adult-Ped		
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	2	72	1	75
		% within Adult-Ped	33.3%	40.9%	100.0%	41.0%
	African American	Count	3	81	0	84
		% within Adult-Ped	50.0%	46.0%	.0%	45.9%
	Hispanic	Count	1	22	0	23
		% within Adult-Ped	16.7%	12.5%	.0%	12.6%
	Not Specified	Count	0	1	0	1
		% within Adult-Ped	.0%	.6%	.0%	.5%
Total		Count	6	176	1	183
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Galveston

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	2	1	3
Diagnosis		% within Sex	4.7%	10.0%	5.7%
	25-29	Count	0	2	2
		% within Sex	.0%	20.0%	3.8%
	30-34	Count	7	1	8
		% within Sex	16.3%	10.0%	15.1%
	35-39	Count	9	2	11
		% within Sex	20.9%	20.0%	20.8%
	40-44	Count	9	2	11
		% within Sex	20.9%	20.0%	20.8%
	45-49	Count	5	0	5
		% within Sex	11.6%	.0%	9.4%
	50-54	Count	7	1	8
		% within Sex	16.3%	10.0%	15.1%
	55-59	Count	3	1	4
		% within Sex	7.0%	10.0%	7.5%
	60-64	Count	1	0	1
		% within Sex	2.3%	.0%	1.9%
Total		Count	43	10	53
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	20	0	20
		% within Sex	46.5%	.0%	37.7%
	African American	Count	12	6	18
		% within Sex	27.9%	60.0%	34.0%
	Hispanic	Count	11	4	15
		% within Sex	25.6%	40.0%	28.3%
Total		Count	43	10	53
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# AIDS Cases Reported during 2003 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	21	0	21
Exposure		% within Sex	48.8%	.0%	39.6%
	IDU	Count	7	2	9
		% within Sex	16.3%	20.0%	17.0%
	M-M & IDU	Count	4	0	4
		% within Sex	9.3%	.0%	7.5%
	Heterosexual Contact	Count	2	3	5
		% within Sex	4.7%	30.0%	9.4%
	Transfusion	Count	0	1	1
		% within Sex	.0%	10.0%	1.9%
	Not Classified	Count	9	4	13
		% within Sex	20.9%	40.0%	24.5%
Total		Count	43	10	53
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Adult-Ped	
			Adult/	
			Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	20	20
		% within Adult-Ped	37.7%	37.7%
	African American	Count	18	18
		% within Adult-Ped	34.0%	34.0%
	Hispanic	Count	15	15
		% within Adult-Ped	28.3%	28.3%
Total		Count	53	53
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Galveston

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	0	1	1
Diagnosis		% within Sex	.0%	6.7%	1.8%
	25-29	Count	1	2	3
		% within Sex	2.4%	13.3%	5.4%
	30-34	Count	6	2	8
		% within Sex	14.6%	13.3%	14.3%
	35-39	Count	9	0	9
		% within Sex	22.0%	.0%	16.1%
	40-44	Count	12	6	18
		% within Sex	29.3%	40.0%	32.1%
	45-49	Count	6	3	9
		% within Sex	14.6%	20.0%	16.1%
	50-54	Count	6	0	6
		% within Sex	14.6%	.0%	10.7%
	55-59	Count	0	1	1
		% within Sex	.0%	6.7%	1.8%
	65-69	Count	1	0	1
		% within Sex	2.4%	.0%	1.8%
Total		Count	41	15	56
- H0DA	0-1	% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	20	6	26
		% within Sex	48.8%	40.0%	46.4%
	African American	Count	15	7	22
		% within Sex	36.6%	46.7%	39.3%
	Hispanic	Count	6	2	8
		% within Sex	14.6%	13.3%	14.3%
Total		Count	41	15	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# AIDS Cases Reported during 2002 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	20	0	20
Exposure		% within Sex	48.8%	.0%	35.7%
	IDU	Count	8	2	10
		% within Sex	19.5%	13.3%	17.9%
	M-M & IDU	Count	1	0	1
		% within Sex	2.4%	.0%	1.8%
	Heterosexual Contact	Count	1	5	6
		% within Sex	2.4%	33.3%	10.7%
	Transfusion	Count	1	0	1
		% within Sex	2.4%	.0%	1.8%
	Not Classified	Count	10	8	18
		% within Sex	24.4%	53.3%	32.1%
Total		Count	41	15	56
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Adult-Ped	
			Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	26	26
		% within Adult-Ped	46.4%	46.4%
	African American	Count	22	22
		% within Adult-Ped	39.3%	39.3%
	Hispanic	Count	8	8
		% within Adult-Ped	14.3%	14.3%
Total		Count	56	56
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Galveston

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1	0	1
Diagnosis		% within Sex	.1%	.0%	.1%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.7%	.1%
	2-4	Count	4	2	6
		% within Sex	.4%	1.3%	.5%
	13-19	Count	7	3	10
		% within Sex	.7%	2.0%	.9%
	20-24	Count	41	12	53
		% within Sex	4.2%	8.0%	4.7%
	25-29	Count	128	24	152
		% within Sex	13.2%	16.0%	13.6%
	30-34	Count	226	32	258
		% within Sex	23.4%	21.3%	23.1%
	35-39	Count	226	30	256
		% within Sex	23.4%	20.0%	22.9%
	40-44	Count	158	18	176
		% within Sex	16.3%	12.0%	15.8%
	45-49	Count	67	11	78
		% within Sex	6.9%	7.3%	7.0%
	50-54	Count	50	7	57
		% within Sex	5.2%	4.7%	5.1%
	55-59	Count	25	6	31
		% within Sex	2.6%	4.0%	2.8%
	60-64	Count	17	0	17
		% within Sex	1.8%	.0%	1.5%
	65-69	Count	8	3	11
		% within Sex	.8%	2.0%	1.0%
	70+	Count	9	1	10
		% within Sex	.9%	.7%	.9%
Total		Count	967	150	1117
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	604	74	678
		% within Sex	62.5%	49.3%	60.7%
	African American	Count	224	59	283
		% within Sex	23.2%	39.3%	25.3%
	Hispanic	Count	136	17	153
		% within Sex	14.1%	11.3%	13.7%
	Asian-Pacific Islander	Count	3	0	3
		% within Sex	.3%	.0%	.3%
Total		Count	967	150	1117
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	548	0	548
Exposure		% within Sex	56.7%	.0%	49.1%
	IDU	Count	123	47	170
		% within Sex	12.7%	31.3%	15.2%
	M-M & IDU	Count	113	0	113
		% within Sex	11.7%	.0%	10.1%
	Hemophiliac	Count	11	0	11
		% within Sex	1.1%	.0%	1.0%
	Heterosexual Contact	Count	32	49	81
		% within Sex	3.3%	32.7%	7.3%
	Transfusion	Count	17	7	24
		% within Sex	1.8%	4.7%	2.1%
	Not Classified	Count	117	44	161
		% within Sex	12.1%	29.3%	14.4%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	4	2	6
		% within Sex	.4%	1.3%	.5%
	Ped Transfusion	Count	1	1	2
		% within Sex	.1%	.7%	.2%
Total		Count	967	150	1117
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Cumulative Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

			Adı	ult-Ped	
				Adult/	
			Pediatric	Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	4	674	678
		% within Adult-Ped	50.0%	60.8%	60.7%
	African American	Count	2	281	283
		% within Adult-Ped	25.0%	25.3%	25.3%
	Hispanic	Count	2	151	153
		% within Adult-Ped	25.0%	13.6%	13.7%
	Asian-Pacific Islander	Count	0	3	3
		% within Adult-Ped	.0%	.3%	.3%
Total		Count	8	1109	1117
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Galveston

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	2-4	Count	3	1	4
Diagnosis		% within Sex	.8%	1.1%	.9%
	13-19	Count	1	2	3
		% within Sex	.3%	2.3%	.6%
	20-24	Count	16	7	23
		% within Sex	4.2%	8.0%	5.0%
	25-29	Count	43	16	59
		% within Sex	11.4%	18.4%	12.7%
	30-34	Count	73	19	92
		% within Sex	19.4%	21.8%	19.8%
	35-39	Count	98	15	113
		% within Sex	26.0%	17.2%	24.4%
	40-44	Count	71	12	83
		% within Sex	18.8%	13.8%	17.9%
	45-49	Count	28	8	36
		% within Sex	7.4%	9.2%	7.8%
	50-54	Count	28	4	32
		% within Sex	7.4%	4.6%	6.9%
	55-59	Count	8	3	11
		% within Sex	2.1%	3.4%	2.4%
	60-64	Count	4	0	4
		% within Sex	1.1%	.0%	.9%
	65-69	Count	3	0	3
		% within Sex	.8%	.0%	.6%
	70+	Count	1	0	1
		% within Sex	.3%	.0%	.2%
Total		Count	377	87	464
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	Sex		
			Male	Female	Total	
Current	5-12	Count	2	1	3	
Age		% within Sex	.5%	1.1%	.6%	
	13-19	Count	1	0	1	
		% within Sex	.3%	.0%	.2%	
	20-24	Count	2	3	5	
		% within Sex	.5%	3.4%	1.1%	
	25-29	Count	6	5	11	
		% within Sex	1.6%	5.7%	2.4%	
	30-34	Count	37	15	52	
		% within Sex	9.8%	17.2%	11.2%	
	35-39	Count	65	16	81	
		% within Sex	17.2%	18.4%	17.5%	
	40-44	Count	95	17	112	
		% within Sex	25.2%	19.5%	24.1%	
	45-49	Count	73	15	88	
		% within Sex	19.4%	17.2%	19.0%	
	50-54	Count	50	9	59	
		% within Sex	13.3%	10.3%	12.7%	
	55-59	Count	23	2	25	
		% within Sex	6.1%	2.3%	5.4%	
	60-64	Count	12	3	15	
		% within Sex	3.2%	3.4%	3.2%	
	65-69	Count	6	1	7	
		% within Sex	1.6%	1.1%	1.5%	
	70+	Count	5	0	5	
		% within Sex	1.3%	.0%	1.1%	
Total		Count	377	87	464	
		% within Sex	100.0%	100.0%	100.0%	

a. HSDA = Galveston

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	212	37	249
		% within Sex	56.2%	42.5%	53.7%
	African American	Count	99	39	138
		% within Sex	26.3%	44.8%	29.7%
	Hispanic	Count	66	11	77
<u> </u>		% within Sex	17.5%	12.6%	16.6%
Total		Count	377	87	464
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Living Reported AIDS Cases through 12/31/03 (from the 01/15/04 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	209	0	209
Exposure		% within Sex	55.4%	.0%	45.0%
	IDU	Count	51	24	75
		% within Sex	13.5%	27.6%	16.2%
	M-M & IDU	Count	36	0	36
		% within Sex	9.5%	.0%	7.8%
	Heterosexual Contact	Count	15	27	42
		% within Sex	4.0%	31.0%	9.1%
	Transfusion	Count	1	2	3
		% within Sex	.3%	2.3%	.6%
	Not Classified	Count	62	33	95
		% within Sex	16.4%	37.9%	20.5%
	Ped Parent at Risk	Count	3	1	4
		% within Sex	.8%	1.1%	.9%
Total		Count	377	87	464
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Adı	ult-Ped	
			Pediatric	Adult/ Adolescent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	247	249
		% within Adult-Ped	50.0%	53.7%	53.7%
	African American	Count	1	137	138
		% within Adult-Ped	25.0%	29.8%	29.7%
	Hispanic	Count	1	76	77
		% within Adult-Ped	25.0%	16.5%	16.6%
Total		Count	4	460	464
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Galveston

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	2	4
Diagnosis		% within Sex	.4%	1.2%	.6%
	1 (12-23 mo)	Count	0	1	1
		% within Sex	.0%	.6%	.2%
	2-4	Count	4	1	5
		% within Sex	.8%	.6%	.8%
	13-19	Count	3	11	14
		% within Sex	.6%	6.8%	2.2%
	20-24	Count	31	26	57
		% within Sex	6.4%	16.1%	8.8%
	25-29	Count	59	27	86
		% within Sex	12.1%	16.8%	13.3%
	30-34	Count	86	29	115
		% within Sex	17.7%	18.0%	17.8%
	35-39	Count	121	22	143
		% within Sex	24.9%	13.7%	22.1%
	40-44	Count	88	20	108
		% within Sex	18.1%	12.4%	16.7%
	45-49	Count	33	12	45
		% within Sex	6.8%	7.5%	7.0%
	50-54	Count	35	5	40
		% within Sex	7.2%	3.1%	6.2%
	55-59	Count	14	4	18
		% within Sex	2.9%	2.5%	2.8%
	60-64	Count	4	0	4
		% within Sex	.8%	.0%	.6%
	65-69	Count	4	0	4
		% within Sex	.8%	.0%	.6%
	70+	Count	1	1	2
		% within Sex	.2%	.6%	.3%
	Unknown	Count	1	0	1
		% within Sex	.2%	.0%	.2%
Total		Count	486	161	647
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se		
			Male	Female	Total
Current	1 (12-23 mo)	Count	1	0	1
Age		% within Sex	.2%	.0%	.2%
	5-12	Count	3	2	5
		% within Sex	.6%	1.2%	.8%
	13-19	Count	2	5	7
		% within Sex	.4%	3.1%	1.1%
	20-24	Count	9	14	23
		% within Sex	1.9%	8.7%	3.6%
	25-29	Count	21	19	40
		% within Sex	4.3%	11.8%	6.2%
	30-34	Count	48	28	76
		% within Sex	9.9%	17.4%	11.7%
	35-39	Count	88	24	112
		% within Sex	18.1%	14.9%	17.3%
	40-44	Count	115	29	144
		% within Sex	23.7%	18.0%	22.3%
	45-49	Count	83	21	104
		% within Sex	17.1%	13.0%	16.1%
	50-54	Count	60	11	71
		% within Sex	12.3%	6.8%	11.0%
	55-59	Count	29	3	32
		% within Sex	6.0%	1.9%	4.9%
	60-64	Count	13	3	16
		% within Sex	2.7%	1.9%	2.5%
	65-69	Count	9	1	10
		% within Sex	1.9%	.6%	1.5%
	70+	Count	5	1	6
		% within Sex	1.0%	.6%	.9%
Total		Count	486	161	647
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	259	65	324
		% within Sex	53.3%	40.4%	50.1%
	African American	Count	143	79	222
		% within Sex	29.4%	49.1%	34.3%
	Hispanic	Count	84	16	100
		% within Sex	17.3%	9.9%	15.5%
	Not Specified	Count	0	1	1
		% within Sex	.0%	.6%	.2%
Total		Count	486	161	647
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

# Prevalent Reported Cases of HIV/AIDS through 12/31/03 (Living HIV/AIDS Cases - combined - from 01/15/04 HARS data)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	240	0	240
Exposure		% within Sex	49.4%	.0%	37.1%
	IDU	Count	61	34	95
- - - -		% within Sex	12.6%	21.1%	14.7%
	M-M & IDU	Count	41	0	41
		% within Sex	8.4%	.0%	6.3%
	Heterosexual Contact	Count	27	49	76
		% within Sex	5.6%	30.4%	11.7%
	Transfusion	Count	2	3	5
		% within Sex	.4%	1.9%	.8%
	Not Classified	Count	109	71	180
		% within Sex	22.4%	44.1%	27.8%
	Ped Hemophiliac	Count	1	0	1
		% within Sex	.2%	.0%	.2%
	Ped Parent at Risk	Count	5	4	9
		% within Sex	1.0%	2.5%	1.4%
Total		Count	486	161	647
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Galveston

			Adult-Ped			
				Adult/		
			Pediatric	Adolescent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	4	319	1	324
		% within Adult-Ped	40.0%	50.2%	100.0%	50.1%
	African American	Count	4	218	0	222
		% within Adult-Ped	40.0%	34.3%	.0%	34.3%
	Hispanic	Count	2	98	0	100
		% within Adult-Ped	20.0%	15.4%	.0%	15.5%
	Not Specified	Count	0	1	0	1
		% within Adult-Ped	.0%	.2%	.0%	.2%
Total		Count	10	636	1	647
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. HSDA = Galveston